# Installation, Configuration of JAVA, and Configuration of Browser for the eUP FMIS

### A. Installation

- 1. Download and install java by following this link: <u>https://www.java.com/en/download/help/</u><u>windows\_manual\_download.xml</u>
- 2. Alternatively, you may download the Java Installer available on the page that comes up when opening a Java Application from eUP FMIS. The installer is named oaj2se.exe. Proceed with installation.

## B. Configuration for Java

#### **B.1 For Windows**

1. Go to **Control Panel**, then look for **Java.** (Tip: Type in "Java" on the search bar inside the Control Panel window)

2. The Java Control Panel Settings will open. Go to **Security** tab and change the *Security Level* from *High (minimum recommended)* to **Medium**. Click Ok and Apply.

🛃 Java Control Panel	
General Update Java Security Advanced	
Enable Java content in the browser	
Security Level	
- Very High	
High (minimum recommended)	
- Medium	
Java applications identified by a ceruncate from a posted autionity with be allowed	ed to run.
Exception Site List	
Applications launched from the sites listed below will be allowed to run after the security prompts.	ne appropriate
Click Edit Site List	
to add items to this list. Edit Si	te List
Restore Security Prompts Mana	ge Certificates
ОКС	Incel Apply

3. If you have a higher version of Java Installed (Java 8), click on Edit Site List...

🖆 Java Control Panel	- • •
General Update Java Security Advanced	
☑ Enable Java content in the browser	
Security level for applications not on the Exception Site list	
Very High - Only Java applications identified by a certificate from a trusted at allowed to run, and only if the certificate can be verified as not revoked.	ithority are
High - Java applications identified by a certificate from a trusted authority are run, even if the revocation status of the certificate cannot be verified.	e allowed to
Exception Site List	
Applications launched from the sites listed below will be allowed to run after the prompts.	appropriate security
Click Edit Site List to add items to this list.	dit <u>S</u> ite List
Restore Security Prompts	ge Certificates
ОК	ncel Apply

The **Exception Site List** will open, click on **Add**, and type in: http://fmis.up.edu.ph. Click Ok and then Apply.

🖆 Exception Site List	×
Applications launched from the sites listed below will be allowed to run prompts.	after the appropriate security
Location http://example.hyperhouse.se	
FILE and HTTP protocols are considered a security risk.	Add temove
We recommend using HTTPS sites where available.	
	OK Cancel

#### B.2. For Mac

1. Click on the Apple Icon and go to System Preferences.



2. The System Preferences window will open, go to Java



3. The **Java Control Panel** window will open, go to **Security** tab and change Security Level from *High (minimum recommended)* to **Medium**. Click Ok and Apply.

	Java Control P	anel	
General	Update Java S	ecurity	Advanced
🗹 Enable Java cont	ent in the browser		
Security Level			
	- Very High		
Set by default			
$\sim$	- High (minimun	n recomm	ended)
Change to:			
$\sim$	- Medium	>	
Least secure setti	ng – All Java applica	ations wil	l be allowed to
run after present	ng a security prom	pt.	
Restore S	ecurity Prompts	Mana	ge Certificates
	ОК	Ca	ancel Apply

4. If you have higher versions of Java (Java 8), click on **Edit Site List..,** and add http:// fmis.up.edu.ph to the **Exception Site List** and click Ok then Apply.

• • •	J	ava Contr	ol Panel		
	General Updat	e Java	Security	Advanced	
🗹 Enable Java co	ontent in the brows	er			
Security level for	applications not o	on the Exc	eption Site l	st	
<ul> <li>Very High - authority a revoked.</li> </ul>	- Only Java applica re allowed to run, a	tions iden and only if	tified by a co f the certifica	ertificate from a truste ate can be verified as n	d lot
<ul> <li>High – Java are allowed verified.</li> </ul>	applications iden to run, even if the	tified by a revocatio	certificate f on status of t	rom a trusted authority he certificate cannot b	/ e
Applications I	st aunched from the s	sites listed	d below will	be allowed to run after	the
http://fmis.up.e http://gotodev. http://hris.up.e	du.ph du.ph du.ph du.ph		I	Edit Site List.	
	Resto	re Securit	y Prompts	Manage Certificat	tes
			ОК	Cancel	Apply

	Exception Site List	
	oplications launched from the sites listed below will be allowed to run after the appropriate s ompts.	ecurity
	Location	
	http://fmis.up.edu.ph	
ł	http://gotodev.up.edu.ph	
	http://hris.up.edu.ph	
	http://putodev.up.edu.ph:8005	
		-
	Add	Remove
	FILE and HTTP protocols are considered a security risk. We recommend using HTTPS sites	where available.
	ОК	Cancel

# C. Configuration for Browser (Mozilla Firefox)

1. Once Java is installed, opening the Java Application from the browser for the first time will



prompt a Java Activation request. Click on Activate Java

2. Java application will load.



A Security Warming will pop-up, Click on *I Accept...,* and then **Run.** Do this twice.



3. A pop-up blocker may stop the application, if this happens, just click on **Option**, and click on **Allow...** 

	East New	History Bo	okmarks Tools Help	
	enunTest 1	- test your	http://popuptest.com/popup	test12.html ☆・
To Fir	refox prevent	ed this site fro	m opening a pop-up window.	Qptions 🛙